REMINGTON

Sporting

FIREARMS • AMMUNITION
TRAPS & TARGETS

Remington,

IPOND



SERVING AMERICAN SPORTSMEN SINCE 1816

8201 H63

... "If It's Remington--It's Right!"

In this catalog you will see sporting firearms, ammunition, traps and targets that have been built and field tested by men whose inheritance of tradition, experience and fine workmanship dates back to 1816. Your dealer will be glad to show you the Remington products that have established the famous motto—"If It's Remington—It's Right!"

INDEX	TO	CATAL	.OG
-------	----	-------	-----

Description	Page
High Grade Rifles & Shotguns	Inside Front Cover & 1
22 Caliber Rifles	2, 3, 4, 5
Rim Fire Ammunition	6,7
Center Fire Rifles	8, 9, 10
Center Fire Ammunition	11, 12, 13, 14, 15, 16
Shotguns	17, 18, 19, 20
Shotgun Shell Ammunition	21, 22, 23
Game Getting Chart	24
Pistol & Revolver Ammunition	25, 26
Ballistics Charts	27, 28
Trap and Skeet Equipment	Inside Back Cover

REMINGTON HIGH GRADE RIFLES AND SHOTGUNS

The long, graceful receivers on Remington guns are exceptionally well adapted to creative engravings of various types such as elaborate scroll, game scenes and gold inlay.



GUN CRAFTSMANSHIP AT ITS FINEST

Every sportsman has a place in his heart for a high grade rifle or shotgun built by a master craftsman with unhurried care and meticulous skill. Remington high grade guns have that unmistakable stamp of quality made possible only by long years of experience at the gunmaker's bench.

The following Remington sporting firearms are available in high grades: "Sportsman"58, and Model 870 shotguns; Model 740, Model 760, and Model 725 high power rifles.

SHOTGUNS



\$137.00*

BDL "DE LUXE SPECIAL" GRADE. Stock and fore-end made of specially selected, figured American walnut, neatly checkered.

MODEL 870SC SKEET "TARGET" GRADE \$180.85*

SC SKEET "TARGET" GRADE. Superb quality figured American walnut in stock and fore-end. Careful hand checkering.

THE OLDEST GUNMAKERS IN AMERICA PRESENT THE NEWEST GUNS



MODEL "SPORTSMAN"58 F "PREMIER" GRADE WITH GOLD INLAY

Finest obtainable walnut in stock and fore-end, finished by hand with custom checkering. Gold nameplate fitted in stock, if desired. Barrel and receiver beautifully engraved with fine scroll and game scenes. Working parts carefully polished.

RIFLES



MODEL 760D "PEERLESS" GRADE

handsome scroll engraving. All working parts carefully polished.



"GAMEMASTER" MODEL 760F "PREMIER" GRADE WITH GOLD INLAY

Features of "Premier" grade rifles are identical with those of "Premier" grade shotguns. Beautiful figured walnut stock . . . fine engraving and gold inlay . . . hand checkering. The ultimate in custom gun makers art.



^{*} Prices subject to change without notice.

REMINGTON 22 RIFLES

ONLY REMINGTON GIVES YOU SO MANY FEATURES - SO MUCH VALUE IN A 22 RIFLE

See these newest guns in America . . . and you'll know why they're the greatest values in Remington's history of fine gunmaking. They're lighter, faster, easier handling . . . built for a lifetime of shooting fun. Only Remington — America's oldest gunmaker — gives you so much value for your gun dollar today!

AUTOLOADER



MODEL 552 "SPEEDMASTER"





VERSATILE. Shoots 22 Short, Long and Long Rifle Cartridges interchangeably, without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJEC-TION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection part, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically. Newest member of Remington's Family of Guns, this autoloading 22 looks, handles and shoots like its big brother, the Model 740 High Power Rifle. For performance, versatility and appearance you can't beat the "Speedmaster." Tubular Magazine Capacity: 20 short, 17 long or 15 long rifle cartridges. Walnut stock. Cross-bolt safety. Receiver grooved for "Tip-Off" 'scope mounts. Length 42 inches, Weight about 5½ pounds.

AUTOLOADER





This rugged and dependable autoloader will handle, interchangeably and without adjustment—short, long and long rifle cartridges. Here is the famous autoloading 22 that shoots short, long and long rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine, fire away — Remington's "Power Piston" takes 'em as they come. Large-capacity tubular magazine holds 22 short, 17 long or 15 long rifle cartridges. American walnut stock. Easy take-down. Thumb safety. Receiver grooved for "Tip-Off" 'scope mounts. Length 43½ inches. Weight about 6½ pounds.

MODEL	NAME	ACTION	LENGTH	WEIGHT	SIGHTS
552	SPEEDMASTER	Autoloader, Tubular	42"	5½ lbs.	OPEN REAR, BEAD FRONT ‡
550		Autoloader, Tubular	431/2"	6¼ lbs.	OPEN REAR, BEAD FRONT ‡
572	FIELDMASTER	Slide, Tubular	42"	51/2 lbs.	OPEN REAR, BEAD FRONT ‡
572	FIELDMASTER (in colors)	Slide, Tubular	42"	4 lbs.	OPEN REAR, BEAD FRONT \$
510	TARGETMASTER	Bolt, Single	43"	51/2 lbs.	OPEN REAR, BEAD FRONT
511	SCOREMASTER	Bolt, Box	43"	5½ lbs.	OPEN REAR, BEAD FRONT \$
512	SPORTMASTER	Bolt, Tubular	43"	5¾ lbs.	OPEN REAR, BEAD FRONT ‡
514		Bolt, Single	42"	5¼ lbs.	OPEN REAR, BEAD FRONT
521T	F22 5 3 7 1	Bolt, Box	43"	7 lbs.	MICROMETER REAR, BLADE FRONT †
513T	MATCHMASTER	Bolt, Box	45"	9 lbs.	MICROMETER REAR, GLOBE FRONT †
40X	RANGEMASTER	Bolt, Single Match	46¾"	HB 12% lbs. SB 10% lbs.	OLYMPIC FRONT AND REAR, OPTIONAL

[†] Drilled and Tapped for Scope Mounts.

[‡] Receiver Grooved for "Tip-Off" Mounts.

Remington offers a great new "Field-master". It's light . . . only 4 lbs.! In colors too. Crow-Wing Black, Buckskin Tan and Teal-Wing Blue! A fine companion to the already popular 572 "Fieldmaster".



SLIDE ACTION





FAST POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



SINGLE LOADING—The Model 572 "Fieldmaster" is the only slide action 22 rifle with positive single loading through the ejection port—a feature especially important to parents and shooting instructors.



SIGHTS — Custom chrome step-adjustable sporting rear sight, gold plated bead front sight. Model 572 also has dovetail receiver grooves to accommodate the highly popular "tip-off" type telescope mounts.



SHOOTERS FORGET . . . but a "Fieldmaster" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot—has stroight, crisp pull.

The Model 572 "Fieldmaster" slide action 22 caliber rifle is a favorite everywhere. Exclusive cartridge feeding design prevents jams and permits easy single loading. In fact, by simply removing the inner magazine tube, parents or shooting instructors can quickly convert the "Fieldmaster" into a single shot rifle . . . replacing the tube when the shooter is ready to use the fast slide action feature. The Model 572 is beautifully streamlined and built for the same rugged dependability as Remington big game rifles and shotguns. A truly versatile 22 caliber rifle, the "Fieldmaster" like all Remington firearms is engineered to last a lifetime.

Tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. Walnut stock. Cross-bolt safety. Length 42 inches. Weight about 5½ pounds.



^{*}Prices subject to change without notice.

REMINGTON 22 RIFLES

THREE RUGGED, DEPENDABLE BOLT ACTION 22 RIFLES

BIGGEST VALUE EVER IN GUNS OF THEIR PRICE

Now you can buy highest quality, performance and dependability in low-priced 22 rifles. Here are three Remington rifles with full-sized stocks and fore-ends, long barrels, and strong, dependable actions. The self-cocking bolt has double cocking cams, double locking lugs, double extractors and a separate ejector. A separate sear gives clean, crisp trigger let-off. And the side-placed Remington thumb safety is convenient and easy to use.

SINGLE SHOT



MODEL 510 "TARGETMASTER"



AUTOMATIC SAFETY. The Model 510 thumb safety goes on automatically when the bolt is opened — a safety feature especially designed for young or beginning shooters. Bolt action single shot. Shoots short, long and long rifle cartridges, standard velocity or higher speed. Automatic ejector. Chromium-plated bolt, bolt handle and trigger. Red-dot firing indicator. Thumb safety goes on automatically when rifle is cocked. Easy take-down. Length over-all 43". Weight about 5½ pounds. Also available in Model 510P (extra charge) with Remington receiver peep sight, and Model 510SB with smooth bore barrel for use with shot cartridges.

BOX MAGAZINE REPEATER

MODEL 511
"SCOREMASTER"
†31.75*


Bolt action, box magazine repeater. 6-shot magazine plus one in chamber gives 7-shot capacity — with short, long and long rifle cartridges, standard velocity or higher speed. Thumb catch quickly releases magazine for reloading. Full-sized stock. 25" tapered barrel, carefully chambered and rifled for fine accuracy. Receiver grooved for "Tip-Off" type 'scope mounts. Safety features include red-dot firing indicator, side-lever thumb safety, encased bolt head. Length: 43". Weight: about 5½ pounds. Also available in Model 511P (extra charge) with Remington receiver peep sight.

TUBULAR MAGAZINE REPEATER

\$35.95*

MODEL 512 "SPORTMASTER"

Bolt action, tubular magazine repeater. Holds 22 short, 17 long or 15 long rifle cartridges. Shoots standard velocity or higher speed cartridges. Easy take-down. Self-cocking on opening of bolt. Red-dot firing indicator. Receiver grooved for "Tip-Off" type 'scope mounts. Positive side-lever-type thumb safety. Full-size, one-piece, pistol-grip stock of American walnut. Long, full, well-rounded fore-end of semi-beavertail type. Length: 43". Weight: about 5% pounds. Also available in Model 512P (extra charge) with Remington receiver peep sight.



SIGHTS. Models 510, 511 and 512 have white metal bead front sight, open rear sight. Adjustable rear sight conceals slot for mounting other sights.

BOLT ACTION
SINGLE SHOT

MODEL 514 \$17.95* Take-down. Round, tapered 24¾ in. barrel. Self-cocking bolt. Rotary-type thumb safety. Chambered for 22 short, 22 long and 22 long rifle cartridges, standard velocity or high speed. Length over all 42 inches. Weight about 5¼ pounds.



Here is the 22 match rifle target shooters have dreamed about the match rifle which reflects craftsmanship, experience and precision design throughout... the sensational new Remington "Rangemaster" Model 40X.

REMINGTON 22 RIFLES

WORLD'S FINEST TARGET RIFLE



SINGLE SHOT

NEW REMINGTON MODEL 40X "RANGEMASTER"

MODEL 40X. Bolt action single-shot with loading platform. 22 long rifle caliber only. Specially selected long-wearing ordnance steel barrel, with new precision rifling. Choice of standard or heavy barrel. Custom-style stock with high comb giving same sighting plane for iron and telescope sights. Comb grooved for easy bolt removal. Mershon White Line non-slip rubber butt plate. Built-in adjustable bedding device. Adjustable sling swivel. Extra-strong bolt with heavy, over-size locking lugs insuring constant head-space. Double extractors. Loading platform gives absolutely straight-line feed. Adjustable, crisp trigger with positive click adjustments for weight of pull. Thumb safety. Large, strong receiver drilled and tapped for standard sight mounts—telescope and iron. Redfield Olympic front and rear sights optional. Greatly increased distance between 'scope blocks gives improved sight adjustment. Barrel length 28". Stock length 33". Overall length 46%". Weight with Redfield Olympic sights: heavy barrel rifle 12 lbs., standard barrel rifle 10 lbs. Weight with sights: add 12 oz.

FGC TA TUNING SCREW

"GROUP TIGHTENER"...
first production rifle ever made
with convenient built-in bedding
device. Adjustment of "tuning"
screws can be done manually
with small screw driver.



GREATER DISTANCE between telescope blocks means 50% finer sight adjustment. Reduces "sighting-in" errors. Photo shows difference between old 7.2" inter-mount radius and more precise 10.6" inter-mount radius on Model 40X.

A COMPLETE TARGET RIFLE READY TO SHOOT



BOX MAGAZINE REPEATER

\$80.90*

MODEL 513T
"MATCHMASTER"

Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull. 6-shot box magazine. Redfield front and rear sights. 1¼" leather sling, adjustable front swivel. Length 45". Weight about 9 pounds.

A FINE COMBINATION HUNTING AND TARGET RIFLE



\$54.95*

MODEL 521T

Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, 1 shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel.

^{*} Prices subject to change without notice.

REMINGTON RIM FIRE AMMUNITION

REMINGTON "HI-SPEED" 22'S

WITH EXCLUSIVE "KLEANBORE" PRIMING

ARE LOADED TO THE LIMIT FOR POWER!



"HI-SPEED" 22 CARTRIDGES

Even at extreme ranges, Remington "Hi-Speed" 22's have speed to reach, and power to drop, small game. They're loaded to the limit for power. Out 50 yards, they're going faster, and pack more wallop, than standard cartridges develop at the muzzle. You'll notice the difference! Remington "Hi-Speed" 22's pack maximum power. They're bad news for small game and pests.



REMINGTON STANDARD VELOCITY 22'S

For shorter-range hunting, and for informal target shooting or plinking where fine accuracy is necessary, Remington Standard Velocity 22's are an excellent choice. Available in short and long rifle sizes.

In all Remington ammunition you get the original and exclusive world-famed "Kleanbore" priming to keep your gun barrel bright and clean. For instant ignition and corrosion prevention shoot Remington "Kleanbore" 22's . . . the best friend your rifle ever had.




SUPERBLY ACCURATE NEW REMINGTON MATCH 22 LONG RIFLE AMMUNITION

The new Remington Match 22's have design and performance features never before available in match ammunition. They have a new bullet shape micro-measured for consistency, with superb wind-bucking qualities — a new silicone-base lubricant that makes it unnecessary to clean barrels between stages — a new "Klean-bore" priming mixture that insures longer barrel accuracy life — and a new close-tolerance brass case with new rim shape for improved ignition.

Small-bore shooters who want the finest can depend on the new Remington Model 40X target rifle and Remington Match ammunition to give proof of precision in scores!





REMINGTON **AMMUNITION**



22 W.R.F. (REM. SPECIAL)

22 SHORT

Adapted to Remington 1205, 1215, and Winchester 1890 rifles; Remington, Winchester and Stevens single shot rifles; also Colt revolvers.

INDEX BULLET BULLET NO. WEIGHT STYLE 1822 45 grs. Lead

> Packed 50 in a box. 5,000 in a case STANDARD VELOCITY

Adapted to single shot, repeating and auto-

Packed 50 in a box. 10,000 in a case.

"Spatter-Less" cartridges are especially de-

signed for shooting gallery use. Adapted to

single shot, repeating, and autoloading rifles,

* Packed 250 in a box. 10,000 in a case.

Adapted to single shot, repeating and auto-

Packed 50 in a box. 10,000 in a case.

loading rifles; revolvers, and pistols.

† Packed 50 in a box. 10,000 in a case.

Lead

22 SHORT GALLERY "SPATTER-LESS"

22 LONG RIFLE

"KLEANBORE"

22 WINCHESTER AUTOMATIC

loading rifles, revolvers and pistols.

5522 29 grs.

revolvers, and pistols.

*5722 29 grs. Lead

6122 40 grs.

rifle.

29 grs. Lead 6722 15 grs., Special Comp. Bullet

†5822



32 SHORT

Adapted to Remington and Winchester single shot rifles; Marlin 1892 repeating rifle; also revolvers and single shot pistols.

INDEX BULLET NO. WEIGHT BULLET STYLE

Lead 8432 80 grs. Packed 50 in a box. 5,000 in a case.



32 LONG

Adapted to Remington and Winchester single shot rifles; Marlin 1892 repeating rifle.

8532 90 grs.

Packed 50 in a box. 5,000 in a case.

MATCH CARTRIDGES



22 LONG RIFLE (RIFLE MATCH)

A superaccurate cartridge designed especially for match rifles.

6622 40 grs.

Lead

Packed 50 in a box. 10,000 in a case.



22 LONG RIFLE (PISTOL MATCH)

The new superbly accurate cartridge designed especially for target pistol shooting.

6822 40 grs.

Packed 50 in a box. 10,000 in a case.

SHOT CARTRIDGES



22 SHOT CARTRIDGE

Adapted to smooth bore single shot rifles.

9322 #12 Shot, Lead

Packed 50 in a box. 10,000 in a case.

"HI-SPEED"



"KLEANBORE"

NON-CORROSIVE PRIMING

22 SHORT

Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.

INDEX BULLET NO. WEIGHT BULLET STYLE

NEWEST SMOKELESS POWDER

29 grs. Lead 1022

1122 27 grs. Lead, Hollow Point

Packed 50 in a box. 10,000 in a case.



22 LONG

Adapted to single shot, repeating, Remington Model 550 and other autoloading rifles, revolvers and pistols.

1322 29 grs. Lead

Packed 50 in a box. 10,000 in a case.



22 LONG RIFLE

Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.

1522 40 grs. Lead

1622 36 grs. Lead, Hollow Point


Packed 50 in a box. 10,000 in a case.





7522 45 grs. Lead Packed 50 in a box. 5,000 in a case.

Adapted to Winchester Model 03 automatic



PENETRATION POWER - See how a Remington "Hi-Speed": 22 solid-point bullet rips through seven %-inch pine boards. What penetration power!



REAL SHOCK POWER — Laundry soap is blasted by Remington "Hi-Speed" hollow point bullet. Terrific wallop for hunting pests.




BULL'S-EYE ACCURACY at longer ranges is yours with Remington 22's. Easier to stalk and get pests and small game. This high speed laboratory photo shows what we mean!

REMINGTON HIGH POWER RIFLES

MODEL 740 Woodsmaster

 First and only Lightweight Autoloading Big Game Rifle

• Exclusive "Power-Matic" Action



MODEL 740A "STANDARD" GRADE

244 Remington, 280 Remington, 30-06, 308 Win. Calibers

149.95

MODEL 740ADL "DE LUXE" GRADE


Same as Model 740A Plus Checkering, Sling Swivels, Grip Cap

Pick up the Model 740 "Woodsmaster" and feel its perfect balance, light weight . . . remember its game-getting power in 244 Remington, 280 Remington, 30-06 or 308 Win. calibers, and you'll wonder how it's done. Remington design with exclusive "Power-Matic" action gives you all this—and the softest recoil ever in a lightweight, high power sporting rifle. Barrel is non-recoiling. High strength Remington proof steel makes the Model 740 extra strong and rugged—for a lifetime of shooting dependability!

SPECIFICATIONS

MODEL 740A "STANDARD" GRADE. Chambered for 244 Remington, 280 Remington, 30-06 or 308 Win. cartridges. 22 inch barrel. Stock and fore-end of American walnut. Extension semi-beavertail fore-end with finger grooves. Metal butt plate. Cross-bolt safety. Double action bars. 5-shot capacity. White metal bead front sight. Step adjustable rear sight. Receiver drilled and tapped for telescope mounts. Standard stock dimensions: Length 13½", drop at comb 1¾", drop at heel 2¾". Weight about 7½ pounds. Length overall 42¼".


MODEL 740ADL "DE LUXE" GRADE. Same as above except: checkered stock and fore-end; decorative grip cap; sling strap swivels. Choice of standard stock dimensions (above) or high comb stock for use with telescope sights (high comb furnished unless otherwise specified). Dimensions for high comb stock: Length 13½", drop at comb 1¼", drop at heel 2".



AMAZING "POWER - MATIC"
ACTION works on jet airplane
principle. Gas moves rearward
to operate action, "Jet" effect
forces rifle forward — softens recoil with no power loss!




LIGHT WEIGHT AND PERFECT BALANCE mokes the "Woodsmaster" an easy-to-carry, fasthandling rifle, Fine accuracy and light recoil make it a pleasure to thest



ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely. Insures constant headspace. Same exclusive design as on famous Remington Model 760 "Gamemaster."



FAST, EASY LOADING. Detachable 4-cartridge magazine facilitates loading and unloading. Model 740 magazine boxes are interchapeable. Extra loaded magazines are easy to carry in packet.



EXTRA STRONG, DEPEND-ABLE. Solid steel receiver, rotary multiple-lug breech lock, and high strength barrel breech ring make Model 740 extra strong, safe, dependable.

MODEL 760 Gamemaster

REMINGTON HIGH POWER RIFLES

Only Slide Action High Power Rifle Made

World's Fastest Hand-Operated Big Game Rifle

A distinctive achievement in firearms manufacture, the Remington Model 760 has advanced design, sturdy construction, light weight and light recoil . . . plus outstanding value and lifetime dependability. This amazing big game rifle combines extreme accuracy, rugged strength and maximum power with smoother, faster operation to a greater degree than any other handoperated type of rifle.




MODEL 760A "STANDARD" GRADE

222 Remington, 244 Remington, 257 Roberts, 270 Win.,

280 Remington, 30-06, 300 Savi, 308 Win.,

35 Remington Calibers



\$129.25*

MODEL 760ADL "DE LUXE" GRADE

Same as Model 760A Plus Checkering, Sling Swivels, Grip Cap

SPECIFICATIONS

MODEL 760A "STANDARD" GRADE. Chambered for 222 Remington, 244 Remington, 257 Roberts, 270 Win., 280 Remington, 30-06, 300 Sav., 308 Win., 35 Remington cartridges. 22 inch barrel. Stock and fore-end of American walnut. Extension semi-beavertail fore-end, grooved to prevent slipping. Metal butt plate. Cross-bolt safety. Rotary multiple-lug breech bolt locks into barrel. Double action bars. Quickly detachable magazine holds 4 cartridges, which with one in the chamber gives a capacity of 5 shots. White metal bead front sight. Step adjustable rear sight. Standard stock dimensions: Length 13½", drop at comb 1¾", drop at heel 2¾". Weight about 7½ pounds. Length overall 42¼".

MODEL 760ADL "DE LUXE" GRADE. Same as above except: checkered stock and fore-end; decorative grip cap; sling strap swivels. Choice of standard stock dimensions (above) or high comb stock for use with telescope sights (high comb furnished unless otherwise specified). Dimensions for high comb stock: Length 13½", drop at comb 1¼", drop at heel 2".



AMAZINGLY ACCURATE. Freefloating barrel, encased bolt head, and advanced method of securing barrel to receiver contribute to "Gamemaster's" high degree of accuracy.



PERFECTLY BALANCED ... for fast, accurate shooting. Surprisingly moderate recoil effect even when firing the heavy 30-06 caliber cartridge. Light weight, easy to carry.




SMOOTH, TROUBLE-FREE AC-TION. Parts perfectly fitted, double action bars, split-second lock time — all insure fast, dependable operation. Fore-end reinforced by metal liner.



EXCEPTIONAL TRIGGER MECH-ANISM with no backlash, drag or creep. Convenient, positive cross-bolt safety . . . less susceptible to accidental movement or breakage.



GRACEFULLY STREAMLINED. Clean, smooth, flowing lines throughout, with no rough edges or protruding parts to catch on clothing or brush. Rich, modern finish on receiver.



REMINGTON FIRE CONTROL.
Trigger must be released and
pulled for each shot. Cannot
be fired unless action is completely closed and securely
locked . . . an important safety
feature.

REMINGTON HIGH POWER RIFLES

Remington proudly presents the NEW

MODEL 725 CENTER FIRE RIFLE

A truly distinguished addition to a great line of sporting firearms.

You'll be proud to own this new bolt action big game rifle. Loaded with custom features, it's far ahead of all the others. New All Purpose stock permits instant use of either open or telescopic sights. Hinged floor plate means smooth easy loading or unloading. Fine checkering and beautiful American walnut stock makes the 725 fit you like a glove, Rear sight is adjustable for both elevation and windage.



MODEL 725

From \$134.95*

280 Remington, 270 Win. or 30-06 Calibers

SPECIFICATIONS

MODEL 725ADL. Chambered for 280 Remington, 270 Win. or 30-06 Calibers. 22 inch round, tapered barrel, carefully bored for extreme accuracy. All purpose sporting stock of American walnut. Crisp trigger with new wide shoe — no back lash. Polished bolt. Magazine holds 4 cartridges with one in chamber, giving 5 shot capacity. Gold bead hooded ramp front sight. Rear sight adjustable for windage and elevation. Receiver and barrel drilled and tapped for scope mounts (barrel tapped under rear sight). Stock dimensions: drop at comb 134", drop at heel 21/4", length of pull 131/2". Weight: 7 lbs. Length overall 421/2".



MODEL 721

30-06, 270 Win., 300 H & H Magnum Calibers



MODEL 722

222 Rem., 222 Rem. Magnum, 244 Rem., 257 Roberts, 300 Sav., 308 Win. Calibers

SPECIFICATIONS

MODEL 721A "STANDARD" GRADE — Chambered for 30-06 or 270 Win. cartridges. 22-inch round, tapered barrel, carefully bored and rifled for extreme accuracy. Sporting stock of American walnut. High comb stock optional at no extra charge. Sensational new trigger with lightning-fast let-off — no backlash. Polished bolt and action, Magazine holds 4 cartridges which, with one in chamber, gives 5-shot capacity. White metal bead front sight on matted ramp. Step-adjustable sporting rear sight. Receiver drilled and tapped for 'scope mounts. Standard stock dimensions: Length 30½ inches, drop at comb 1% inches, drop at heel 2% inches; with high comb stock drop at comb is 1% inches, drop at heel 2% inches. Weight about 74 lbs. Length overall 424"

IN 300 MAGNUM CALIBER - Same as above, but with 24" heavy barrel, soft rubber recoil pad, 3-shot magazine, plus one in chamber. Weight about 81/4 lbs. Length 441/4"

MODEL 722A "STANDARD" GRADE - Same as Model 721A except with shorter action and chambered for 222 Rem., 222 Rem. Magnum, 244 Rem., 257 Roberts, 300 Sav. and 308 Win. cartridges. Weight about 7 pounds and length 41%" in 257 Roberts, 300 Sav. and 308 Win. calibers. Weight about 8 pounds and length 43%" in 222 Rem., 222 Rem. Magnum and 244 Rem. calibers.


*Prices subject to change without notice.




"CORE-LOKT"

In all Remington "Core-Lokt" bullets, jacket and core are locked together by heavy mid-section. The bullet stays in one piece . . . for greater striking power.

SEE HOW EXCLUSIVE REMINGTON "CORE-LOKT" UNLOCKS EXTRA STOPPING POWER!



LEAVING MUZZLE—Remington Pointed Soft Point "Core-Lokt" bullet in 30-06 caliber looks like this. Directional nose cuts are designed to speed expansion.



AT 2,700 FEET PER SECOND — the bullet is "stopped" by fast x-ray camera. Ahead lies a gelatin block that will closely simulate actual hunting impact.



MUSHROOM AT NOSE of Pointed Soft Point "Core-Lokt" bullet is now clearly visible. Note expanding cavity behind expanding bullet.



VAST SHOCK POWER keeps cavity spreading apart. But "Core-Lokt" design holds the still-expanding bullet together. How much larger can it get?



OVER TWICE ORIGINAL
CALIBER! Fully mushroomed bullet — still in one
piece — clears the block,
But shock wave behind it
continues to swell the
block.

"CORE-LOKT" BULLETS Open up at all hunting ranges





Lion shot at 50 feet, 30-06



Deer shot at 80 yards, 35 Rem.




Deer shot at 200 yards, 30-30



Elk shot at 390 paces, 30-06

"Core-Lokt" bullets combine the high degree of accuracy necessary to score vital hits at long range with the power to crash through toughest hide and bone. On impact their notched jackets insure maximum effective expansion, providing great shocking and stopping power. These remarkable bullets stay in one piece, delivering the power that means less trailing, fewer lost trophies.

Why the wide selection of REMINGTON BIG GAME AMMUNITION means Better Hunting for You!



"CORE-LOKT" SOFT POINT

Here's a good choice for medium and big game—especially when you're hunting in heavy brush. These bullets are relatively heavy for their calibers, deliver tremendous wallop, and are very hard to deflect. Exclusive Remington "Core-Lokt" design assures deep penetration and controlled expansion—up to double normal caliber!

"CORE-LOKT" POINTED SOFT POINT

A fine bullet for bringing down game at long range, the Remington Pointed Soft Point "Core-Lokt" has flatter trajectory, maximum remaining velocity, maximum striking energy. Directional nose cuts permit fast, uniform expansion at all hunting ranges. Amazing accuracy . . . terrific long-range wallop. "Core-Lokt" feature prevents disintegration.

"CORE-LOKT" MUSHROOM

(hollow-point bullet)

Here's a real game getter! It assures deep penetration and controlled expansion—up to double normal caliber, thanks to exclusive Remington "Core-Lokt" feature. Similar in use to Remington Soft Point "Core-Lokt," but designed for less rapid mushrooming. May be used on all big game for which its calibers are intended.

BRONZE POINT EXPANDING


An excellent all-around type of bullet with a unique design, the Remington Bronze Point has good wind-bucking qualities. It travels with a flat trajectory, and has high remaining velocity and fine accuracy at long range. The tip is solid metal. Bullet has extremely effective knock-down power.

It stands to reason that you'll get best results from ammunition especially designed for the job. You may need one type of bullet for long-range shots in open country . . . another for deer in dense undergrowth. That's why Remington features no one bullet type, but gives you a wide selection.

The descriptions here make selection easier . . . for maximum effectiveness on every type of big game. And in addition to this knockdown, knockout power, Remington gives you exclusive world-famed "Kleanbore" priming, long-range accuracy and dependability.

Choose Remington and get the right ammunition for your kind of game . . . your kind of hunting.

REMINGTON CARTRIDGE WITH "CORE-LOKT" SOFT POINT BULLET



When the need for power and accuracy is greatest, hunters can rely on Remington's "Core-Lokt" bullets for a clean knockdown, knockout punch. Terrific striking energy, game stopping impact, perfect mushrooming.

Check the illustration at the left and see for yourself the features that have made Remington Centerfire Rifle Cartridges the favorite of "Know-How" hunters.







218 BEE

Adapted to Winchester 65, 43.

INDEX BULLET PRIMER BULLET
NO. WEIGHT NO. STYLE
0218 46 grs. 61/2 Hi-Speed Mu

46 grs. 61/2 Hi-Speed Mushroom Packed 50 in a box, 2,000 in a case.



219 ZIPPER

Adapted to Winchester 64.

0219 56 grs. 91/2 Hi-Speed Mushroom
Packed 20 in a box. 1,000 in a case.



22 HORNET

Adapted to Winchester 54, 70, 43; Savage 19H, 23D, 219, 340; Stevens 322.

0222 45 grs. 6½ Hi-Speed Soft Point 0322 45 grs. 6½ Hi-Speed Mushroom

Packed 50 in a box. 2,000 in a case.



220 SWIFT

Adapted to Winchester 54, 70.

0822 48 grs. 9½ Hi-Speed Soft Point Packed 20 in a box. 1,000 in a case.



222 REMINGTON

Packed 20 in a box. 1,000 in a case.



Adapted to Remington 722 Magnum

0522 55 grs. 61/2 Hi-Speed Soft Point

Packed 20 in a box, 1,000 in a case.



Adapted to Winchester 70; Savage 99.

0243 80 grs. 9½ Hi-Speed Pointed Soft Point

1243 100 grs. 9½ Hi-Speed Pointed Soft Point Core-Lokt

Packed 20 in a box. 1,000 in a case.



Adapted to Remington 722,740, 760.

NO. WEIGHT NO. STYLE

O244 75 grs. 9½ Hi-Speed Pointed Soft Point

1244 90 grs. 9½ Hi-Speed Pointed Soft Point

4244 90 grs. 9½ Hi-Speed Bronze Point

Packed 20 in a box. 1.000 in a case.



25-20 WINCHESTER

Adapted to Winchester 92, 53, 65, 43; Remington 25; Savage 23B, 219; Marlin 1894, 27.

1325 86 grs. 6½ Lead 1525 86 grs. 6½ Soft Point

1625 60 grs. 61/2 Hi-Speed Mushroom

Packed 50 in a box. 2,000 in a case.



250 SAVAGE

Adapted to Savage 1920, 40, 45, 99; Winchester 54, 70.

7125 100 grs. 9½ Hi-Speed Pointed Soft Point
Core-Lokt
7225 100 grs. 9½ Hi-Speed Soft Point Core-Lokt
7425 87 grs. 9½ Hi-Speed Soft Point
Packed 20 in a box. 1,000 in a case.



25-35 WINCHESTER

Adapted to Winchester 94, 55, 64; Savage 99.

6325 117 grs. 9½ Express Soft Point Core-Lokt Packed 20 in a box. 1,000 in a case.



257 ROBERTS

Adapted to Remington 30, 720, 722, 760; Winchester 54, 70.

5325 117 grs. 9½ Express Soft Point Core-Lokt
5425 100 grs. 9½ Hi-Speed Pointed Soft Point
Core-Lokt

Packed 20 in a box. 1,000 in a case.







Adapted to Winchester 54, 70; Remington 720, 721, 725. 760.

INDEX	BULLET	PRIMER	BULLET
NO.	WEIGHT	NO.	STYLE
8027	100 grs.	91/2	Hi-Speed, Pointed Soft Point
8127	150 grs.	91/2	Hi-Speed Soft Point Core-Lokt
8327	130 grs.		Hi-Speed Pointed Soft Point Core-Lokt
8427	130 grs.		Hi-Speed Bronze Point
	Po	cked 20	in a box. 1,000 in a case.



Adapted to Remington 30; Winchester 54, 70; Mauser Military, Sporting rifles; Sauer-Mauser.

8707 175 grs. 9½ Express Soft Point
Packed 20 in a box. 1,000 in a case.



Adapted to Reminaton 725 740 760

1328	100 grs.	91/2	Hi-Speed Bronze Point
1028	125 grs.	91/2	Hi-Speed Pointed Soft Point Core-Lokt
1128	150 grs.	91/2	Hi-Speed Pointed Soft Point Core-Lokt
1228	165 grs.	91/2	Hi-Speed Soft Point Core-Lokt



Adapted to Winchester 54, 55, 64, 94; Marlin 1893, 36; Savage 1920, 40, 45, 99, 219, 325, 340.

1230	160	ars.	91/2	Express Metal Case
1330		grs.		Express Mushroom Core-Lokt
1430		grs.		Express Soft Point Core-Lokt
1530		grs.		Express Soft Point Core-Lokt
17			1000	in a box. 1.000 in a case.



Adapted to Remington 8, 81, 14, 141, 30.

2630 170 grs, 9½ Express Soft Point Core-Lokt Packed 20 in a box. 1,000 in a case.



Adapted to Krag (Springfield 1898); Winchester 95; Remington and Winchester single shot, military and sporting rifles.

4630	220 grs	91/2	Express Soft Point Core-Lokt
4930	180 grs.	91/2	Hi-Speed Soft Point Core-Lokt
5030	180 grs	91/2	Hi-Speed Pointed Soft Point
			Core-Lokt

Packed 20 in a box. 1,000 in a case.



30-06 SPRINGFIELD

Adapted to Remington 30, 720, 721, 725, 760, 740; 1917 Service rifle; 1903 Springfield for 1906 cartridges; Winchester 54, 70; Savage 40, 45; Garand.

INDEX	BULLET F	A TOTAL PLANTAGE	BULLET
NO.	WEIGHT	NO.	SITLE
5630	220 grs.	91/2	Express Mushroom Core-Lokt
5730	220 grs.	91/2	Express Soft Point Core-Lokt
5830	150 grs.	91/2	Hi-Speed Pointed Soft Point
1000	100000000000000000000000000000000000000		Core-Lokt
6030	150 grs.	91/2	Hi-Speed Bronze Point
6130	180 grs.	91/2	Hi-Speed Bronze Point
6430	180 grs.	91/2	Hi-Speed Soft Point Core-Lokt
6530	180 grs.	91/2	Hi-Speed Pointed Soft Point
	Water to the Million	Colonia.	Core-Lokt
6630	110 grs.	91/2	Hi-Speed Pointed Soft Point
6730	180 grs.	91/2	Palma Match Metal Cased,
			Taper Heel

Packed 20 in a box. 1,000 in a case.



300 H & H MAGNUM

Adapted	Adapted to Remington /21; Winchester /					
7630	220 grs.	91/2	Express Mushroom	Core-Lokt		
7730			Match Metal Case,			

7730 180 grs. 9½ Match Metal Case, Taper Heel 7830 180 grs. 9½ Hi-Speed Pointed Soft Point Core-Lokt

Packed 20 in a box. 1,000 in a case.



Adapted to Savage 99.

8130 180 grs. 91/2 Express Soft Point Core-Lokt
Packed 20 in a box. 1,000 in a case.



Adapted to Remington 81, 722, 760; Savage 1920, 40, 45, 99.

		AND DESCRIPTION	
7030	180 grs.	91/2	
7230	180 grs.	91/2	Hi-Speed Pointed Soft Point
			Core-Lokt
7330	150 grs.	91/2	Hi-Speed Soft Point Core-Lokt
7430	150 grs.	91/2	Hi-Speed Bronze Point
7530	150 grs.	91/2	Hi-Speed Pointed Soft Point
			Core-Lokt

Packed 20 in a box. 1,000 in a case.



303 BRITISH

Adapted to Remington; Lee-Enfield, Winchester 95 rifles
8330 215 grs. 9½ Express Soft Point
Packed 20 in a box. 1,000 in a case.





REMINGTON AMMUNITION



308 WINCHESTER

Adapted to Remington 722, 740, 760; Winchester 70, 88.

NO.	WEIG		PRIMER NO.		STYLE		
6308	110	grs.	91/2	Hi-Speed	Pointed	Soft	Point
7308				Hi-Speed Core-Lokt		Soft	Point
8308	180	grs	. 91/2	Hi-Speed Core-Lokt		Soft	Point

Packed 20 in a box: 1,000 in a case.



8 mm. (7.9 mm.) MAUSER

Adapted to Mauser 1898 military and sporting rifles—European designation 8x57 mm. rimless (WARNING: do not use in rifles chambered for 30-06 Springfield cartridges).

170 grs. 91/2 Hi-Speed Soft Point Core-Lokt Packed 20 in a box. 1,000 in a case.



Adapted to French 8 mm. Lebel rifle and 1907-15. 170 grs. 91/2 Hi-Speed Soft Point Packed 20 in a box. 1,000 in a case.



Adapted to Remington 8, 81, 14, 141, 30.

170 grs. 91/2 Express Soft Point Core-Lokt Packed 20 in a box. 1,000 in a case.



32 WINCHESTER SPECIAL

Adapted to Winchester 55, 64, 94; Marlin 1893, 36.

5032 170 grs. 91/2 Express Mushroom Core-Lokt 5132 170 grs. 91/2 Express Soft Point Core-Lokt

Packed 20 in a box. 1,000 in a case.



32-20 WINCHESTER

Adapted to Remington 25; Winchester 92, 53, 65, 43; Savage 23C, 219; Marlin 27, 1894; Remington, Winchester single shot rifles.

Packed 50 in a box. 2,000 in a case.

INDEX NO.	BULLET	PRIMER NO.	BULLET STYLE
4232	100 grs.	61/2	Lead
4632	100 grs.	61/2	Soft Point
4732	80 grs.	61/2	Hi-Speed Mushroo



32-40 WINCHESTER

Adapted to Winchester 94; Marlin 93; Remington, Stevens, Winchester single shot rifles.

165 grs. 91/2 Soft Point Packed 20 in a box. 1,000 in a case.



348 WINCHESTER

Adapted to Winchester 71.

150 grs. 91/2 Hi-Speed Soft Point 6434 **Express Soft Point Core-Lokt** 6634 200 grs. 91/2 Packed 20 in a box. 1,000 in a case.



35 REMINGTON

Adapted to Remington 8, 81, 14, 141, 30, 760; Winchester 70 (WARNING: do not use in rifles chambered for 30-06 Springfield cartridges).

8035	150	grs.	91/2	Hi-Spee Core-Lo	d Pointed Soft Point kt
8235	200	grs.	91/2	Express	Mushroom Core-Lok
8335	200	grs.	91/2	Express	Soft Point Core-Lokt
		Pa	ked 20	in a box.	1,000 in a case.



351 WINCHESTER SELF-LOADING

Adapted to Winchester 07 Self-Loading rifles.

177 grs. 61/2 Metal Case 7335 180 grs. 61/2 Soft Point 7435

Packed 50 in a box. 2,000 in a case.







38-40 WINCHESTER

Adapted to Remington 14½; Winchester 92; Remington, Winchester single shot rifles; Marlin 1894.


NO.	BULLET	PRIMER NO.	BULLET
8138	180 grs.	21/2	Soft Poin
	DL	J 50 1 b	2 000 :



38-55 WINCHESTER

Adapted to Winchester 94; Marlin 93, Savage, Remington-Lee repeating rifles; Remington, Winchester single shot rifles.

8438 255 grs. 9½ Soft Point Packed 20 in a box. 1,000 in a case.



44-40 WINCHESTER

Adapted to Remington 14½; Winchester 53, 92; Remington, Winchester single shot rifles; Marlin 1894.

NO.	WEIGHT	PRIMER NO.	STYLE
5744	200 grs.	21/2	Soft Point
	Packe	d 50 in a box.	2,000 in a case.



45-70 GOVERNMENT

Adapted to various single shot rifles built to fire smokeless powder ammunition.

8245 405 grs. 9½ Soft Point
Packed 20 in a box. 1,000 in a case.

RECOMMENDED FOR BIG GAME

280 Remington 300 H & H Magnum 30-40 Kras 165 gr. S.P. 220 gr. S.P. 220 gr. Mush. 150 gr. Ptd.S.P. 180 gr. Ptd.S.P. 220 gr. Mush. 348 Winchester 35 Remington 200 gr. 5.P. 30-06 Springfield 200 gr. S.P. 200 gr. Mush. 200 gr. Mush. 220 gr. S.P. 300 Savage 270 Winchester 220 gr. Mush 180 gr. S.P. 180 gr. Ptd.S.P. 150 gr. S.P. 180 gr. Ptd.S.P.

For bigger game species such as moose, elk, bear, and caribou, these are some of the heavier REMINGTON "CORE-LOKT" cartridges recommended by big-game hunters.

280 Remington 300 H & H Magnum 300 Savage 220 gr. Mush. 150 gr. Ptd.S.P. 150 gr. S.P. 150 gr. Br. Pt. 180 gr. Ptd.S.P. 125 gr. Ptd.S.P. 30-40 Krag 257 Roberts 117 gr. S.P. 180 gr. Ptd.S.P. 30-06 Springfield 308 Winchester 150 gr. Ptd.S.P. 270 Winchester 130 gr. Ptd.S.P. 150 gr. Ptd.S.P. 150 gr. Br. Pt. 180 gr. Ptd.S.P. 130 gr. Br. Pt. 180 gr. Ptd.S.P.

Here are just a few of the many REMINGTON cartridges and bullet styles designed for game that is tough and hard to reach such as antelope, mountain goat and mountain sheep.

270 Winchester 150 gr. S.P. 130 gr. Ptd.S.P. 30-06 Springfield 180 gr. S.P. 180 gr. Ptd.S.P. 150 gr. Br. Pt. 180 gr. Br. Pt. 32 Remington 170 gr. S.P.

30-30 Winchester 170 gr. S.P. 30 Remington 170 gr. S.P. 280 Remington 165 gr. S.P. 150 gr. Ptd.S.P. 300 Savage 150 gr. Br. Pt.

222 Remington 50 gr. S.P.

75 gr. Ptd.S.P. 90 gr. Ptd.S.P. 250 Savage 100 gr. Ptd.S.P. 87 gr. S.P.

22 Hornet 45 gr. S.P. 45 gr. Mush. 25-20 Winchester 60 gr. Mush. 86 gr. S.P. 257 Roberts 117 gr. S.P.

280 Remington 125 gr. Ptd. S.P.

For deer, mountain lion, black bear, and jaguar, REMINGTON provides still another good selection to choose from. Many of the above bullets are "CORE-LOKT."

For smaller game and varmints including woodchuck, fox, bobcat, and wolf, REMINGTON cartridges such as these satisfy the most exacting sportsman.

Sportsman-58

- World's Newest and Most Advanced Autoloading Shotgun
- Exclusive "Power-Matic" Action
- Light Weight . . . 7 Lbs.

THE ONLY AUTOLOADING SHOTGUN

WITH ALL THESE FEATURES

Remington "POWER-MATIC" action that softens recoil Fastest-loading shotgun ever made Light weight that makes handling faster . . . carrying easier Game scenes inscribed on receiver Fast, easy take-down Interchangeable barrels Non-recoiling barrel Double action bars "Dial-A-Matic" load control New, beautiful wood and metal finishes Perfect, hand-fitting grip Balance where it belongs Rugged and dependable throughout.



REMINGTON

AUTOLOADING

SHOTGUNS

"SPORTSMAN"58ADL "DE LUXE" GRADE

12, 16 AND 20 GAUGES . 3-SHOT CAPACITY




REMINGTON "POWER-MATIC"
ACTION softens recoil. As gas
moves the "Power-Matic" piston
rearward, there is a forward reaction on the gun, opposing and
slowing recoil, and softening its
effect on the shooter's shoulder.
Remarkably light recoil effect,
even when shooting 2½" magnum loads.

SPECIFICATIONS

"SPORTSMAN":58ADL "DE LUXE" GRADE. BARREL: High strength Remington Proof steel. Maximum strength for modern heavy loads, including standard-length (2¾") magnums. White metal front sight. SAFETY: Convenient cross-bolt type. RECEIVER: Extensively inscribed game scenes and fine scroll; matted top surface. Receiver milled from solid block of steel. STOCK AND FORE-END: American walnut, checkered. Pistol grip with decorative grip cap. Black butt plate. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1%" drop at comb. WEIGHT: 20 gauge about 6½ pounds; 16 gauge about 6¾ pounds; 12 gauge about 7 pounds.



"DIAL-A-MATIC" LOAD CONTROL achieves the maximum in dependable performance with all 234" loads — magnum or regular. This gives you more exact control over the wide range of loads in use today. Instant fingertip adjustment . . . dial "L" for light (low-base) loads, "H" for heavy (high-base) loads.



QUICK-CHANGE BARRELS—EASY TAKE-DOWN. Switch barrels of appropriate length and choke for whatever kind of hunting or shooting is desired — in seconds."Sportsman"58 barrels are completely interchangeable—need no special fitting. Barrel and fore-end are disassembled in one motion. Trigger assembly comes out as a unit simply by removing 2 pins. No tools required.

* Price subject to change without notice.

STANDARD BARREL LENGTHS AND BORINGS

		BAR	RELS	
Ga.	CHOKE	Plain Barrels Inches	Vent. Rib Barrels Inches	
	Full	28, 30	28, 30	
12	Modified	28	28	
12	Imp. Cyl.	26	26	
	Skeet	Section 1	26	
	Full	28	28	
16	Modified	28	28	
10	Imp. Cyl.	26	26	
	Skeet		26	
10	Full	28	28	
20	Modified	28	28	
20	Imp. Cyl.	26	26	
	Skeet		26	



FASTEST-LOADING SHOTGUN EVER MADE!
Chamber one shell and load the second shell in
the magazine in one motion! 3 shells can be
loaded in 3 seconds. To single-load, simply drop
shell in port and press action release.

REMINGTON AUTOLOADING SHOTGUNS


ONLY AUTOLOADING SHOTGUNS IN ALL POPULAR GAUGES

These streamlined, lightweight Remington autoloaders are available in the greatest variety of gauges of any autoloading action made today. Model 11-48 comes in 4-shot 410 and 28 gauges and 5-shot 12, 16 and 20 gauges. "Sportsman"48 comes in 3-shot 12, 16 and 20 gauges.



SPECIFICATIONS

"SPORTSMAN: "48A "STANDARD" GRADE (12, 16, 20 GAUGES)—3-shot capacity. Take down, hammerless, solid breech. Wide selection of barrel lengths and borings (see below). Chambered for all 2¾ inch shells. 12, 16 and 20 gauges. Cross bolt safety. Top of receiver matted. Receiver milled from solid block of steel. American Walnut pistol grip stock and fore-end both finely checkered. Pistol grip has decorative grip cap. Black butt plate. Standard stock dimensions: 14" long, 2½" drop at heel, 1¾" drop at comb. Weight: 20 gauge, about 6½ pounds; 16 gauge, about 6¾ pounds; 12 gauge, about 7½ pounds.



STANDARD BARREL LENGTHS AND BORINGS

500		BAF	RELS	
Ga.	CHOKE	Plain Barrels Inches	Vent. Rib Barrels Inches	
100	Full	28, 30	28, 30	
12	Modified	28	28	
14	Jmp. Cyl.	26	26	
	Skeet		26	
	Full	. 28	28	
16	Modified	28	28	
10	Imp. Cyl.	26	26	
	Skeet			
-	Full	28	28	
20	Modified	28	28	
20	Imp. Cyl.	26	26	
28	Full	25	25	
BUSSES 62	Modified	25	25	
and 410	Imp. Cyl.	25	25	
410	Skeet		25	

† In Model 11-48 Only

SPECIFICATIONS

MODEL 11-48A "STANDARD" GRADE (12, 16, 20 GAUGES)—5-shot capacity. (3 shot plug furnished without extra charge.) Take down, hammerless, solid breech. Wide selection of barrel lengths and borings. Chambered for 2¾" shells, 12, 16 and 20 gauges. Cross bolt safety. Top of receiver matted. Receiver milled from solid block of steel. American Walnut pistol grip stock and fore-end. Walnut colored butt plate. Standard stock dimensions: same as "Sportsman"58ADL. Weight: 20 gauge, about 6½ pounds; 16 gauge, about 6¾ pounds; 12 gauge, about 7½ pounds.

MODEL 11-48A "STANDARD" GRADE (28 AND 410 GAUGES)— Same as above except: 4-shot capacity; furnished with grip cap, black butt plate and grooved fore-end. Standard stock dimensions: 13%" long, 25%" drop at heel, 15%" drop at comb. Weight: about 6¼ pounds.

*Prices subject to change without notice.

MODEL 870 Wingmaster

REMINGTON
PUMP ACTION
SHOTGUNS

- Most Useful Pump Action Shotgun
- Exclusive Interchangeable Barrels
- Exclusive "Vari-Weight" Principle

\$85.95*

MODEL 870AP "STANDARD" GRADE

12, 16, 20 GAUGE . 5-SHOT CAPACITY

198.25*

MODEL 870ADL "DE LUXE" GRADE

12, 16, 20 GAUGE . 5-SHOT CAPACITY



EXCLUSIVE — All "Wingmaster" barrels (except magnum barrels) fit all "Wingmaster" actions in corresponding gauges . . no special fitting needed. When you buy a "Wingmaster," you can add extra barrels with just the right length and choke. Requires only a few seconds, no tools!



EXCLUSIVE — For the first time on any pump action shotgun, the barrel is made with a hardened extension into which the breech block locks. It means langer life, less wear, constant head space for your "Wingmoster."



DOUBLE ACTION BARS prevent twisting and binding, give smooth, gliding action for which Remington "Wingmaster" is famous.

Just comparing shooting qualities, you'll want this Remington. It's the finest pump action shotgun in America — fast, light and velvet-smooth. But wait till you see how much more you can do with it. Note the instantly interchangeable barrels. See how exclusive "Vari-Weight" plug gives you 3 guns in 1 in the 12 gauge. Then check the amazing low price and you'll know why Remington "Wingmaster" Model 870 is the most remarkable pump action shotgun value ever!

SPECIFICATIONS

MODEL 870AP "STANDARD" GRADE 5-SHOT PUMP ACTION SHOTGUN. Takedown, hammerless, solid breech. Wide selection of barrel lengths and chokes (see chart). 12 oz. "Vari-Weight" steel plug (included only with 12 ga.); 3-shot wooden magazine plug. Chambered for 2¾" shells. Cross-bolt safety. Top of receiver matted. Receiver milled from solid block of steel. American walnut half pistol-grip stock with grooved foreend. Walnut-colored butt plate. Standard stock dimensions: 14" long, 1¾" drop at comb, 2½" drop at heel. Average weight: 20 ga., 6½ lbs.; 16 ga., 6¾ lbs.; 12 ga. without "Vari-Weight" steel plug, 7 lbs., with steel plug, 7¾ lbs.

MODEL 870ADL "DE LUXE" GRADE 5-SHOT PUMP ACTION SHOTGUN. Has all the features of the "Wingmaster" "Standard" grade plus the following extras: finely checkered stock with decorative grip cap; black butt plate; long, checkered fore-end with finger grooves; top surface of barrel fully matted.

STANDARD BARREL LENGTHS AND BORINGS

THE P		BARRELS					
Ga.	CHOKE	Plain Barrels Inches	Matted* Top Surface	Vent. Rib Barrels Inches			
	Full	28, 30	28, 30	28, 30			
12	Modified	28	28	28			
12	Imp. Cyl.	26	26	26			
	Skeet		The second second	26			
-	Full	28	28	28			
16	Modified	28	28	28			
10	Imp. Cyl.	26	26	26			
3	Skeet			26			
100	Full	28	28	28			
20	Modified	28	28	28			
20	Imp. Cyl.	26	26	26			
	Skeet	The same		26			

^{*}Models 870ADL and BDL only.

MODEL 870 12 GAUGE MAGNUM



MODEL 870 MAGNUM-AP "STANDARD" GRADE. Same as Model 870AP "Standard" Grade except: 3-shot; chambered for 3" shells — will also handle 2¾" shells; 30" plain, full choke barrel only; steel bead front sight; rubber recoil pad; standard stock dimensions (including recoil pad) 14" long, 1¾" drop at comb, 2½" drop at heel; length over-all 50½"; weight about 8¼ lbs.

MODEL 870 MAGNUM-ADL "DE LUXE" GRADE. Same as Model 870 Magnum-AP "Standard" Grade except: 30" ventilated rib, full choke barrel only; ivory bead front sight, white metal rear sight; checkered stock and foreend; decorative grip cap; weight about 8½ lbs.

REMINGTON TRAP & SKEET SHOTGUNS

Remington offers the greatest variety of autoloading and pump action shot-guns for target shooting ever available. There are pump action and autoloading actions for trapshooters — both highly regarded. And skeet shooters have a choice of autoloading actions, in all popular gauges, or a pump action in 12, 16 and 20 gauge. For best performance, lifetime dependability — make your next trap or skeet gun a Remington!

REMINGTON TRAP GUNS





MODEL 870TC "TRAP" GRADE — Especially designed to meet every need of the trapshooter. Stock and fore-end of high grade American walnut. 28" full or modified or 30" full choke barrel with ventilated rib. Ivory bead front sight, white metal rear sight. Stock dimensions: 14¾" long including recoil pad, 1¾" drop at heel, 1½" drop at comb. Weight about 8 lbs.

MODEL 870TB "TRAP SPECIAL" GRADE — same as Model 870TC except B "Special" grade American walnut stock and fore-end.

"SPORTSMAN" 58TB "TRAP SPECIAL" GRADE — Same as "Sportsman" 58ADL except furnished with 28" and 30" ventilated rib full choke barrel only. Selected American walnut stock and fore-end. Ivory bead front sight, white metal rear sight. Rubber recoil pad. Stock dimensions same as Model 870TC above. Weight about 81/4 lbs.

REMINGTON SKEET GUNS





"SPORTSMAN"58SA "SKEET" GRADE. Same as "Sportsman"58ADL except furnished with 26" ventilated rib barrel only; Remington Special Skeet boring; ivory bead front sight, white metal rear sight.

"SPORTSMAN" 485A "SKEET" GRADE. Available in 12, 20 gauges. Beavertail fore-end and Remington Special Skeet boring. 26" ventilated rib barrel with ivory bead front sight, white metal rear sight.

MODEL 11-48SA "SKEET" GRADE. In 28 and 410 gauges only with 25" barrel. 4-shot capacity. Other specifications same as "Sportsman" 48SA "Skeet" Grade above.

MODEL 870SA "SKEET" GRADE — same as Model 870ADL except with 26" barrel, Remington Special Skeet boring and raised ventilated rib. Ivory bead front sight, white metal rear sight.

REMINGTON TARGET THROWER

All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

\$4.90*





REMINGTON SHOTGUN SHELLS ARE RIGHT FOR YOUR KIND OF SHOOTING!

REMINGTON SHOTGUN SHELLS



Upland or Marshland

you're always ahead with Remington power rated shells.

Remington shotgun shells, with more knockdown power, can make a big difference in your shooting. For each type of game, every hunting range, they give you the right load for hard hitting wallop. Power Rated Performance—"Kleanbore" priming, wetproof corrugated body for extra strength, Remington crimp for perfect patterns . . . full dependability with Remington shotgun shells.



"EXPRESS"

Long-Range Power Load — Designed especially for great power and reach. Forty-three (43) different powder and shot combinations; gauges 10 to 410 — plus six different loadings of Remington "Express" Buck Shot in 12, 16 and 20 gauges. And to convert your shotgun to a rifle of tremendous knockdown power, Remington "Express" Rifles Slugs are available in 12, 16, 20, 28 and 410 gauges.



"SHUR SHOT"

Field Load — Fast, light-recoil loads for correct penetration and pattern density on a wide variety of upland game. Thirty-one (31) different powder and shot combinations for everything from rail to rabbit — plus scatter loads for gamegetting patterns in close cover, even with a full-choke gun. 12, 16 and 20 gauges.



TARGET LOADS

All New Remington Target Loads are here. Completely changed from primer to crimp, they are loaded with features shooters have asked for. Less Recoil . . . new, more sensitive primer . . . new high-wall molded base wad . . . new brass base for easy extraction . . . new lighter wad column with piston-tight gas sealing . . . new heavier shell body for greater strength and rugged performance . . . new target load crimp for perfect target smashing patterns every time. Shoot 'em and you'll know Remington has provided you with the perfect shell to bring down those "still flying" birds and bring up your score.

REMINGTON SHOTGUN SHELLS

MORE POWER -- MORE REACH with



REMINGTON "EXPRESS" SHELLS

Wetproof -- Scuff-Resistant

When you need maximum power and reach, you need Remington "Express." Shoot them and you get the game-getting, knockdown wallop every hunter wants . . . at all shotgun ranges. Remington "Express" shells feature Remington crimp for perfect patterns.

Shell bodies are Wetproof and scuff-resistant . . . corrugated for easy feeding and extraction. And they give you exclusive Remington "Kleanbore" priming that keeps your gun barrel bright and clean.

20% MORE KNOCKDOWN POWER!

REMINGTON "EXPRESS" MAGNUM LOADS

Gauge and Brand		Powder Equiv. Drams	Shot Ozs.	Size Shot
10 Ga. Remington Exp.	31/2	5	2	BB, 2, 4 (Mag)
12 Ga. Remington Exp.	234	4	11/2	2, 4, 6 (Mag)
12 Ga. Remington Exp.	3	414	1%	BB, 2, 4, 5, 6 (Mag)
12 Ga. Remington Exp.	3	41/2	17%	BB, 2, 4 (Mag)
16 Ga. Remington Exp.	234	31/2	134	2, 4, 6 (Mag)
20 Ga. Remington Exp.	234	3	13/8	2, 4, 6 (Mag)

REMINGTON "EXPRESS" BUCK SHOT-ROLL CRIMP

Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	. Size Shot
12 Ga. Remington Exp. 12 Ga. Remington Exp. 12 Ga. Remington Exp. 12 Ga. Remington Exp. 16 Ga. Remington Exp. 20 Ga. Remington Exp.	234 234 234 234 236 236	3% 3% 3% 3% 3 234	00 Buck— 9 Pellets 0 Buck—12 Pellets 1 Buck—16 Pellets 4 Buck—27 Pellets 1 Buck—12 Pellets 3 Buck—20 Pellets

You'll touch off 20% more knockdown power with new Remington "Express" 234" Magnum shells in the 12 ga. . . . and proportionately greater new power in 16 and 20 gauge, too! They're loaded to the limit for power - not to encourage extreme longrange shots, but to reduce the number of birds lost through honest errors in range estimation.

Remington has the right load for every kind of shotgun hunting. Shoot Remington and you'll get your game!

REMINGTON "EXPRESS" EXTRA LONG RANGE SHOTGUN SHELLS

Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot
±10 Ga. Remington Exp.	2%	4%	1%	BB, 2, 4
12 Ga. Remington Exp.	234	334	134	BB‡, 2, 4, 5, 6, 71/2
16 Ga. Remington Exp.	234	3	13%	2, 4, 5, 6, 71/2
±16 Ga. Remington Exp.	2%6	3	13/8	2, 4, 5, 6, 71/2
16 Ga. Remington Exp.	234	314	136	2, 4, 5, 6, 71/2
20 Ga. Remington Exp.	234	234	1	2, 4, 5, 6, 71/2
28 Ga. Remington Exp.	234	21/4	34	4, 6, 71/2, 91
±410 Ga. Remington Exp.	21/2	1	1/2	4, 5, 6, 71/2, 9†
±410 Ga. Remington Exp.	3	-	34	4, 5, 6, 71/2, 9†

†28 Ga. and 410 Ga. 9 shot marked "Target Load." #In roll crimp only.

REMINGTON "EXPRESS" RIFLED SLUGS-ROLL CRIMP

Gauge and Brand		Powder Equiv. Drams	Shot Ozs.	Size Shot
12 Ga. Remington Exp.	234	3%	1	Rifled Slug
16 Ga. Remington Exp.	2%	3	7/6	Rifled Slug
20 Ga. Remington Exp.	21/2	234	%	Rifled Slug
28 Ga. Remington Exp.	23/4	21/4	1/2	Rifled Slug
410 Ga. Remington Exp.	21/2	100	Vs	Rifled Slug

POWER APLENTY FOR SMALLER GAME

with REMINGTON

REMINGTON SHOTGUN SHELLS







Here's the shell for fast-moving smaller game. You'll like the snappy performance of these red Remington "Shur Shot" shells. They deliver speed and power aplenty for quail, grouse, rabbits and similar small game. Same Remington design for perfect patterns, same exclusive corrugated shell body, and same exclusive Remington "Kleanbore" priming as the heavier Remington "Express" shell.



SHOOT THE REVOLUTIONARY NEW REMINGTON TARGET LOADS WITH EXCLUSIVE "H" WAD COLUMN

NEW REMINGTON TARGET CRIMP IN 12 GA. ONLY



PISTON-TIGHT GAS SEAL

Just as piston rings follow the contours of a cylinder wall to provide maximum engine efficiency, the tough, flexible plastic "H" Wad adapts itself, under pressure, to variations in the barrel—through forcing cone, bore and choke—to produce perfect gas sealing.

FIELD LOADS

Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot
12 Ga. Shur Shot	234	3	1	4, 5, 6, 8
12 Ga. Shur Shot	234	3	11/4	4, 5, 6, 8, 9
12 Ga. Shur Shot	234	314	136	4, 5, 6, 8
12 Ga. Shur Shot	21/4	31/4	134	71/2, 8
‡16 Ga. Shur Shot	2%	21/2	1	4, 5, 6, 8,9
16 Ga. Shur Shot	234	234	11/6	4, 6, 8
20 Ga. Shur Shot	234	21/4	7/s	4, 5, 6, 8, 9
20 Ga. Shur Shat	234	21/2	1	4, 6, 8

SCATTER LOADS

Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Ozs.	Size Shot
‡12 Ga. Shur Shat ‡16 Ga. Shur Shot ‡20 Ga. Shur Shot	2% 2% 2%	3 2½ 2¼	11/6	8 8

Try a case of all new Remington target loads at trap or skeet and score the difference in your shooting. New lighter

wad column with exclusive Remington "H" Wad gives lighter recoil and piston-tight gas sealing. Your own shooting experience will show you why they're the most effective target load ever developed.






TARGET LOADS

Gauge and Brand	Length Shell Ins.	Powder Equiv. Drams	Shot Oxs.	Size Shot
12 Ga. Shur Shot	234	3	136	71/2, 8, 9
12 Ga. Shur Shot	23/4	2%	11/6	71/2, 8
16 Ga. Shur Shot	234	21/2	1	9
20 Ga. Shur Shot	234	214	7/4	9
28 Ga. Express	234	21/4	3/4	9
‡410 Ga. Express	21/2	1	1/2	9
±410 Ga. Express	3		3/4	9

GAME GETTING CHART **BUCK SHOT** SHOT 00 0 BB 9 8 71/2 6 12 No. Diameter .32 .33 .30 .15 .24 .25 .05 .08 .12 .13 .18 .09 .091/2 .11 Inches Approx. Approx. Pellets 130 175 145 Pellets 340 300 90 50 135 585 410 350 225 170 2385 in 1 lb. in 1 oz.

	SU	Shot	SHOT SIZES F	OK GAME
Game	Shell	Size	Suggested Chokes	What Experienced Hunters Say
DUCKS	Remington "Express"	4, 5, 6	FULL—For Pass Shooting MODIFIED—Over Decoys	Use No. 4 shot for long range and pass shooting. For normal range — No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys.
GEESE	Remington "Express"	BB, 2, 4	FULL	Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys.
PHEASANTS	Remington "Express"	5, 6	MODIFIED FULL—For Long Cornfield Shots	For cornfield shooting where long shots are usual — better use No. 5. On a normal rise over dogs and for all around use No. 6 is the favorite.
GROUSE OR PARTRIDGE	Remington "Express" or Remington "Shur Shot"	5, 6 71/2, 8	IMPROVED CYLINDER OR MODIFIED— For Brush Work FULL—For Open Ranges	On the smaller birds such as ruffed grouse or Hungarion Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and large shot.
QUAIL	Remington "Shur Shot"	712, 8, 9	IMPROVED CYLINDER MODIFIED	For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used.
DOVES AND PIGEONS	Remington "Shur Shot" or Remington "Express"	6, 71/2, 8	MODIFIED	You can do a good job on mourning doves at normal ranges with the lighter loads and No. 7½ or No. 8 shot — but for longer ranges use the heavy loads and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings.
WOODCOCK	Remington "Shur Shot"	71/2, 8, 9	IMPROVED CYLINDER MODIFIED	Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice.
RABBITS	Remington "Shur Shot" or Remington "Express"	4, 5, 6	IMPROVED CYLINDER OR MODIFIED—For Brush FULL—For Long Open Shots	For cottontail rabbits at normal range, the lighter loads are suitable, but for larger game such as jack rabbits and snow shoe rabbits use heavy loads.
SQUIRRELS	Remington "Express"	5, 6	MODIFIED	Most hunters use 5's or 6's and prefer the heavy loads particularly in the tall timber.
RAIL	Remington "Shur Shot"	712, 8, 9	IMPROVED CYLINDER	For the little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail.
TURKEY	Remington "Express"	BB, 2, 4	FULL	Choice of shot size depends on your range. If you're a good caller No. 4 shot makes a clean kill while BB's and No. 2's are best for long shots.
FOX	Remington "Express"	BB, 2	FULL	It's a toss-up between BB's and No. 2 shot. But remember — the smaller the shot, the denser the pattern.
DEER, BLACK BEAR AND WOLF	Remington "Express"	Rifled Slug and Buck Shot	For rifled slugs any choke may be used . Full choke for buckshot loads .	For deer and black bear 12 and 16 gauge slugs are the best. 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot.

SHOTGUN BARREL INTERCHANGEABILITY



Here's a feature hunters have been asking for year after year — interchangeable barrels!

Use your favorite Remington shotgun today when hunting grouse, switch barrels for tomorrow's duck hunting jaunt. No tools needed, no skills required . . . just switch 'em for each different hunting trip.



REMINGTON PISTOL & REVOLVER CARTRIDGES

Every law enforcement officer whose duties call for protection of lives and property must depend upon unfailing ammunition performance in the crucial moments of emergency. Every match target shooter in these days of "hot" competition knows that consistently accurate ammunition can make the difference between a championship title or just another

The complete Remington line of center fire pistol and revolver cartridges is ballistically tailored to "shooters' specifications" with calibers for all popular handguns, together with bullets and other components designed exactly for each shooting purpose.




25 (6.35 mm.) AUTOMATIC PISTOL

Adapted to Colt, Browning, Mauser, other automatic pistols.

INDEX BULLET PRIMER BULLET NO. WEIGHT NO. STYLE

4225 50 grs. 11/2 M.C. Packed 50 in a box. 5,000 in a case.



30 (7.63 mm.) MAUSER AUTOMATIC PISTOL

Adapted to Mauser military model automatic pistol.

0230 85 grs. 11/2 M.C. Packed 50 in a box. 2,000 in a case.



30 LUGER (7.65 mm.) AUTOMATIC PISTOL

Adapted to Luger automatic pistol; cannot be used in Luger Carbine.


0730 93 grs. 11/2 Packed 50 in a box. 2,000 in a case.



32 SMITH & WESSON

Adapted to Smith & Wesson, Colt, Harrington and Richardson, Iver Johnson, other revolvers; not adapted to revolvers chambered for 32 Short Colt.

88 grs. 11/2 Lead 1132 Packed 50 in a box. 5,000 in a case.



32 SMITH & WESSON, LONG

Adapted to Smith & Wesson, Colt, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.

98 grs. 11/2

Packed 50 in a box. 4,000 in a case.



32 SHORT COLT

Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifles; not adapted to revolvers chambered for 32 S&W cartridge.

BULLET BULLET PRIMER INDEX NO. STYLE NO. WEIGHT

80 grs. 11/2 Lead Packed 50 in a box. 5,000 in a case.



32 LONG COLT

Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifles; not adapted to revolvers chambered for 32 S&W Long cartridge.

1732 80 grs. 11/2 Lead Packed 50 in a box. 4,000 in a case.



32 COLT, NEW POLICE

Adapted to Colt, Smith & Wesson, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.

100 grs. 11/2 2332 Packed 50 in a box. 4,000 in a case.



32 (7.65 mm.) AUTOMATIC PISTOL

32-20

Adapted to Browning, Colt, Mauser, Remington, Savage, Smith & Wesson, other automatic pistols.

71 grs. 11/2 M.C. 2632 Packed 50 in a box. 5,000 in a case.



Adapted to Colt, Smith & Wesson revolvers; use cartridge with 100 grain all lead bullet only (Note: 32-20 Winchester "Hi-Speed" cartridge is for use in rifles only and should not be used in revolvers. See Center Fire Rifle section).

4232 100 grs. 61/2 100 grs. 61/2 S.P. 4632

Packed 50 in a box. 2,000 in a case.



357 MAGNUM

Adapted to Smith & Wesson and other revolvers originally chambered for this cartridge.

INDEX BULLET PRIMER BULLET NO. WEIGHT NO.

158 grs. 6½ Hi-Speed, M.P. 158 grs. 6½ Hi-Speed, Lead 8835

Packed 50 in a box. 2,000 in a case.



9 mm. LUGER AUTOMATIC PISTOL

Adapted to Smith & Wesson, Colt and other semi-automatic pistols.

1009 124 grs. 11/2 M.C. Packed 50 in a box. 2,000 in a case.



380 AUTOMATIC PISTOL

Adapted to Browning, Colt, Remington, Savage, other automatic pistols.

1238 95 grs. 11/2 Packed 50 in a box. 2,000 in a case.



38 AUTOMATIC COLT PISTOL

Adapted to Colt automatic pistol-military,

sporting, pocket models. M.C. 130 grs. 11/2

Packed 50 in a box. 2,000 in a case.



38 SUPER AUTOMATIC COLT PISTOL


Adapted to Colt Super 38 automatic and Commander pistols ONLY.

1638 130 grs. 11/2 Hi-Speed M.C. Packed 50 in a box. 2,000 in a case.

REMINGTON PISTOL & REVOLVER CARTRIDGES

SOLID HEAD CONSTRUCTION gives added strength to the cartridge case.

UNIFORM CRIMPING contributes to fine accuracy and ideal combustion of powder. Oil-proofed at primer against damaging effects of excess gun oil.



"KLEANBORE" PRIMING provides fast, snappy ignition. Does not cause rust and corrosion.

> BRASS CASE made of highest quality metal and produced to rigid specifications.

NEWEST SMOKELESS POWDER selected for maximum effective performance in handguns and carefully checked to insure uniform loading.

SPECIALLY DESIGNED BULLET with perfect weight and dimension specifications, carefully lubricated to increase accuracy and prevent barrel fouling.



38 SMITH & WESSON

Adapted to Smith & Wesson, Colt, other revolvers.

INDEX BULLET PRIMER BULLET NO. WEIGHT NO. STYLE 2338 146 grs. 11/2 Lead Packed 50 in a box. 2,000 in a case.



38 SPECIAL

Adapted to Smith & Wesson, Colt, other revolvers. "Hi-Speed" for use ONLY in such revolvers as are designed for high velocity ammunition.

5138 158 grs. 11/2 Lead 5238 200 grs. 1½ 5338 158 grs. 1½ Lead M.P. Lead, Target-6138 148 grs. 11/2

master, Wad Cutter

6538 158 grs. 1½ Hi-Speed, Lead 6838 110 grs. 1½ "Hi-Way Maste "Hi-Way Master", **Metal Penetrat-**

Packed 50 in a box. 2,000 in a case.



38 COLT,


Adapted to Calt, Smith & Wesson, other revolvers.

7138 150 grs. 11/2 Lead Packed 50 in a box. 2,000 in a case.



38 SHORT COLT


Adapted to Colt revolvers. 7238 125 grs. 11/2 Lead Packed 50 in a box. 2,000 in a case.



38 LONG COLT

Adapted to Colt, Smith & Wesson revolvers.

INDEX BULLET PRIMER BULLET STYLE WEIGHT NO. NO. 150 grs. 11/2 Lead 7338 Packed 50 in a box. 2,000 in a case.



Adapted to Colt revolvers (Note: "Hi-Speed" cartridges are for use in rifles only and should not be used in revolvers).

8138 180 grs. 21/2 S.P. Packed 50 in a box. 2,000 in a case.



41 LONG COLT

38-40

Adapted to Colt Double Action, Frontier Single Action revolvers.

4341 195 grs. 11/2 Packed 50 in a box. 2,000 in a case.



Adapted to Smith & Wesson, Colt revolvers.

5544 246 grs. 21/2 Lead Packed 50 in a box. 1,000 in a case.



REMINGTON MAGNUM

SPECIAL

Adapted to Smith & Wesson, other 44 magnum revolvers.

21/2 Hi-Speed, Lead 5844 240 grs. Gas-check

Packed 50 in a box. 1,000 in a case.



44-40 WINCHESTER

Adapted to Colt revolvers (Note: "Hi-Speed" cartridges are for use in rifles only and should not be used in revolvers).

NO. WEIGHT NO. STYLE 5744 200 grs. 21/2 5.P.

.Packed 50 in a box. 2,000 in a case.



45 COLT

Adapted to Colt Shooting Master, New Service, Single Action Army revolvers.

21/2 6345 250 grs. Packed 50 in a box. 1,000 in a case.



45 AUTOMATIC

Adapted to Colt Automatic Pistol, Thompson Sub-Machine gun, Colt 1917 revolver with clips; Smith & Wesson 1917 revolver with clips; Smith & Wesson 1950 & 1955 revolvers.

6645 230 grs. 21/2 M.C. 6745 185 grs. 21/2 Targetmaster Wad Cutter

Hi-Speed, "Hi-7245 173 grs. 21/2 Way Master" Metal Penetrating

Packed 50 in a box. 1,000 in a case.



45 AUTO RIM

Adapted to Colt 1917 revolver, Smith & Wesson 1917 revolver; Smith & Wesson 1950 & 1955 revolvers.

7545 230 grs. 21/2 Lead Packed 50 in a box. 1,000 in a case.

- BULLET TYPES -



LEAD GAS-CHECK Special gas-check heel cap acts as piston ring. Seals gas behind bullet for pile-driver power.



General purpose bullet used for all types of revolver shooting.



Target shooting lead bullet. Used in Remington 32 and 38 Targetmaster" cartridaes.



WAD CUTTER Target shooting gilding metal jacket bullet. Used in Remington 45 automatic "Targetmaster" cartridges.



METAL CASE Gilding metal jacket bullet. Used in auto-loading pistol and sub-machine gun cartridges.



METAL POINT **Bullet** has lead bearing surface with gilding metal jacket point.



METAL

PENETRATING Special metal alloy bullet for law enforcement agencies. **Bullet** penetrates steel, iron and other metals.

REMINGTON RIM FIRE CARTRIDGES WITH "KLEANBORE" PRIMING

AVERAGE BALLISTICS OF REMINGTON CARTRIDGES

NOTE: The data presented herein are standards adopted by the Sporting Arms and Ammunition Manufacturers Institute

REMINGTON "HI-SPEED"

INDEX		BULLET		VELOCITY-FE	ET PER SECOND	ENERGY-FO	MID-RANGE TRAJECTORY		
NO.	CARTRIDGE	Weight Grains	Style	Muzzle	100 Yards	Muzzle	100 Yards	In100 Yds.	
1000	22 Short	29	Lead	1125	920	81	54	4.3	
1022			Hollow Point	1155	920	80	51	4.2	
1122	22 Short	29	Lead	1240	965	99	60	3.8	
	22 Long	The state of the s		1335	1045	158	97	3.3	
1522	22 Long Rifle	40	Lead	HUNGAY CA	1040	149	86	3.3	
1622	22 Long Rifle	100	Hollow Point	1365	A CONTRACTOR OF THE PARTY OF TH		123	2.7	
1822	22 W.R.F. (Remington Special)	45	Lead	1450	1110	210	123	2.1	

REMINGTON — Standard Velocity

F	22 Short	29	Lead	1045	810	70	-	
5522		29	Lead	1045	100	70		_
5722	22 Short Gallery Special Spatter-Less	-		1045		70		
5822	22 Short Spatter-Less	29	Lead	ALPERTATE		97		L
6722	22 Short New & Improved Spatter-Less	15	Composition	1710		1.720	1233300	40
6122	22 Long Rifle	40	Lead	1145	975	116	84	4.0
7522	22 Winchester Automatic	45	Lead	1055	930	111	86	4.6
7422	22 Remington Autoloading	45	Lead	920		84		5.5
The second second		67	Lead	1130	985	184	140	3.8
8125	25 Stevens	7.100	100000000000000000000000000000000000000	945	840	158	125	5.3
8432	32 Short	80	Lead	0.0000000	77.00	178	144	5.3
8532	32 Long	90	Lead	945	850	1/0	144	J.J

REMINGTON PISTOL and REVOLVER CARTRIDGES WITH "KLEANBORE" PRIMING

INDEX	CARROLL	BU	LLET	Muzzle Velocity	Muzzle Energy	Barrel
NO.	CARTRIDGE	Wgt. Grs.	Style	Feet per Second	Ft. Lbs.	Inches
4225	25 (6.35 mm.) Automatic	50	M.C.	810	73	2
0730	30 (7.65 mm.) Luger	93	M.C.	1220	307	41/2
0230	30 (7.63 mm.) Mauser Automatic	85	M.C.	1410	375	51/2
1632	32 Short Colt	80	Lead	795	112	4
1732	32 Long Colt	80	Lead	790	111	4
2332	32 Colt New Police	100	Lead	785	137	4
2632	32 (7.65 mm.) Automatic Pistal	71	M.C.	960	145	4
1132	32 Smith & Wesson	88	Lead	705	97	3
1232	32 Smith & Wesson Long	98	Lead	780	132	4
100000000000000000000000000000000000000	357 Magnum Hi-Speed	158	M.P.	1430	717	8%
8835		158	Lead	1430	717	8%
9835	357 Magnum Hi-Speed	124	M.C.	1120	345	4
1009	9 mm. Luger	146	Lead	730	173	4
2338	38 Smith & Wesson	158	Lead	855	256	6
5138	38 Special	200	Lead	730	236	6
5238	38 Special	158	M.P.	855	256	6
5338	38 Special	148	Lead	770	195	6
6138	38 Special Wad Cutter Targetmaster	110	Special	1330	433	5
6838	38 Special Metal Penetrating Hi-Way Master	158	Lead	1085	413	5
6538	38 Special Hi-Speed	1,010	100000		100	1
7138	38 Colt New Police	150	Lead	680	154	1 7
7238	38 Short Colt	125	Lead	760	160	1 4
7338	38 Long Colt	150	Lead	770	197	5
1638	38 Super Automatic Hi-Speed	130	M.C.	1275	469	41/2
1438	38 Automatic	130	M.C.	1040	312	334
1238	380 Automatic	95	M.C.	955	192	6
4341	41 Long Colt	195	Lead	730	231	-
5544	44 Smith & Wesson Special	246	Lead	755	311	61/2
5844	44 Remington Magnum Hi-Speed	240	Lead, Gas-check	1470 1675	1275 1450	Test Bb
6345	45 Colt	250	Lead	855	405	51/2
6645	45 Automatic	230	M.C.	850	369	5
6745	45 Automatic Wad Cutter Targetmaster	185	M.C.	775	245	5
7245	45 Auto, Metal Penetrating Hi-Way Master	173	Special	1140	500	. 5
7545	45 Automatic Rim	230	Lead	805	331	51/2

MATCH CARTRIDGES - Pistol and Revolver

6138	38 Special Wad Cutter Targetmaster	146	Lead	770	195	6
6745		185	M.C.	775	245	5

REMINGTON CENTER FIRE RIFLE CARTRIDGES WITH "KLEANBORE" PRIMING

	BULLET VELOCITY— FEET PER SECOND ENERGY— FOOT POUNDS MID-RANGE TRAJECT								ECTORY					
INDEX	CARTRIDGE	WGT.	BULLET	Section 1	100	200	300		100	200	300	100	200	300
NO.	CARTRIDGE	GRS.	STYLE	MUZZLE	YDS.	YDS.	YDS.	MUZZLE	YDS.	YDS.	YDS.	YDS.	YDS.	YDS.
0218	218 Bee Hi-Speed	46	Mush.	2860	2160	1610	1200	835	475	265	145	0.7	3.8	11.5
0219	219 Zipper Hi-Speed		Mush.	3110 2690	2440 2030	1940 1510	1550 1150	1200 720	740 410	465 230	130	0.8	2.9 4.3	13.0
0322	22 Hornet Hi-Speed		Mush. S.P.	2690	2030	1510	1150	720	410	230	130	0.8	4.3	13.0
0822	220 Swift Hi-Speed	48	5.P.	4110	3490	2930	2440	1800	1300 780	915 520	635 340	0.3	2.5	3.8 7.0
0722	222 Remington Hi-Speed	50	S.P. M.C.	3200 3200	2650 2650	2170	1750 1750	1140	780	520	340	0.5	2.5	7.0
0522	222 Remington Magnum Hi-Speed	55	S.P.	3300	2800	2340	1930	1330	955	670	455	0.5	2.3	6.1
0243	243 Winchester Hi-Speed		Ptd. S.P.	3500 3070	3080 2790	2720 2540	2410	2180	1690	1320	1030	0.4	1.8	4.7 5.5
0244	243 Winchester Hi-Speed 244 Remington Hi-Speed	13 5 p+0/40	Ptd. S.P.C.L. Ptd. S.P.	3500	3070	2660	2290	2040	1570	1180	875	0.4	1.9	4.9
1244	244 Remington Hi-Speed		Ptd. S.P.	3200	2850	2530	2230	2050	1630	1280	995	0.5	2.1	5.5
4244	244 Remington Hi-Speed	100000000000000000000000000000000000000	Br.P.	3200 2250	2930 1660	2670 1240	1030	675	1720 365	1420	1150	1.2	6.3	5.0 21.0
1625	25-20 Winchester Hi-Speed		Mush. Lead	1460	1180	1030	940	405	265	200	170	2.6	12.5	32.0
1525	25-20 Winchester	86	S.P.	1460	1180	1030	940	1770	265 1370	1050	170 820	2.6 0.6	12.5	32.0 6.4
7425	250 Savage Hi-Speed		S.P. Ptd.S.P.C.L.	3030 2820	2560	2330 2210	1940	1760	1390	1080	835	0.6	2.8	7.1
7225	250 Savage Hi-Speed	100	S.P.C.L.	2820	2350	1970	1670	1760	1220	860	620 555	1.0	3.1 4.6	8.4 12.0
6325	25-35 Winchester Express	2000	S.P.C.L.	2300	1950 2580	1680 2280	1460	1370	985 1480	730 1150	885	0.6	2.7	6.7
5425 5325	257 Roberts Hi-Speed		Ptd.S.P.C.L. S.P.C.L.	2650	2280	1950	1690	1820	1350	985	740	0.7	3.4	8.8
8027	270 Winchester Hi-Speed	100	Ptd.5.P.	3480	3070	2690	2340	2690	2090	1600	1220	0.4	1.8	4.8 5.3
8327	270 Winchester Hi-Speed		Ptd.S.P.C.L. Br. P.	3140 3140	2850 2880	2580 2630	2320	2840 2840	2390	1990	1660	0.5	2.1	5.1
8427	270 Winchester Hi-Speed	F 1000 C 100	S.P.C.L.	2800	2440	2140	1870	2610	1980	1520	1160	0.6	2.9	7.6
1328	280 Remington Hi-Speed		Br.P.	3570	3160	2770	2420	2830	2220	1700	1300	5	1.8	4.5 5.3
1028	280 Remington Hi-Speed		Ptd.S.P.	3190 2890	2880	2590 2440	2210	2780	2360	1980	1630	.6	2.5	6.1
1228	280 Remington Hi-Speed		5.P.	2820	2510	2220	1970	2910	2310	1810	1420	.6	2.8	7.2
1530	30-30 Winchester Express		S.P.C.L.	2410	1960	1620	1360	1930	1280	875 910	615	1.0	4.5 5.0	12.5
1230	30-30 Winchester Express		M.C. M.C.L.	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
1430	30-30 Winchester Express	170	S.P.C.L.	2220	1890	1630	1410	1860	1350	1000	750 750	1.2	4.6	12.5
2630	30 Remington Express		S.P.C.L.	2220	1890	1630	1410	1860	1350	1340	1010	0.8	3.8	9.9
4930 5030	30-40 Krag Hi-Speed	1/2000 TO	Pid.S.P.C.L.	2470	2250	2040	1850	2440	2020	1660	1370	0.8	3.5	8.5
4630	30-40 Krag Express	220	S.P.C.L.	2200	1930	1700	1510	2360	1820	1410	1110	0.4	2.1	12.0 5.6
5830 5830	30-06 Springfield Hi-Speed		Ptd.S.P. Ptd.S.P.C.L.	3420 2970	2940	2490	2090	2850 2930	2110	1920	1510	0.6	2.4	6.1
6030	30-06 Springfield Hi-Speed		Br. P.	2970	2710	2470	2240	2930	2440	2030	1670	0.5	2.4	6.0
6430	30-06 Springfield Hi-Speed		S.P.C.L.	2700	2330	2010	1740	2910	2170	1610	1210	0.7	3.1	8.3 7.0
6530	30-06 Springfield Hi-Speed 30-06 Springfield Hi-Speed		Ptd.S.P.C.L. Br. P.	2700	2470	2250 2280	2040		2460	2080	1730	0.7	2.9	6.9
6730	30-06 Springfield Palma Match	79,000	M.C.T.H.	2700	2520	2350	2190	2910	2540	2200	1900	0.6	2.8	6.7
5630	30-06 Springfield Express	The second second	M.C.L.	2410	2120	1870	1670	2830	2190	1710	1360	0.8	3.9	9.8 9.8
5730 7830	30-06 Springfield Express	1000000	S.P.C.L. Ptd.S.P.C.L	100000000000000000000000000000000000000	2670	2440	2220		2850	2380	1970	0.6	2.4	5.8
7730	300 H & H Magnum Match	180	M.C.T.H.	2920	2740	2550	2380		3000 2630	2600	2260 1630	0.6	3.2	5.7 8.2
7630 7330	300 H & H Magnum Express 300 Savage Hi-Speed	DADIES.	M.C.L. S.P.C.L.	2620 2670	2320	2050 1930	1830		1710	1240	915	0.7	3.3	9.3
7530			Ptd.S.P.C.L	2670	2390	2130	1890	2370	1900	1510	1190	0.7	3.0	7.6
7430	BROWN CARD COMPANY CONTRACTOR CON		Br. P.	2670 2370	2410	2170 1760	1950 1520		1930	1570	920	0.7	3.0	7.5
7030 7230	300 Savage Express	22.22	S.P.C.L. Ptd. S.P.C.I		2160	1960	1770	STATE OF THE PARTY	1860	1530	1250	0.9	3.7	9.2
8330	303 British Express	215	5.P.	2180	1900	1660	1460	*	1720	1310	715	1.1	5.4	12.5
8130 6308	303 Savoge Express		S.P.C.L. Ptd,S.P.	2140 3340	1810	1550 2340	1340		1310	960 1340	900	0.5	2.2	6.0
7308	308 Winchester Hi-Speed	120200	Ptd.S.P.C.L		2570	2300	2050	2730	2200	1760	1400	0.6	2.6	6.5
8308			Ptd.S.P.C.L		2390	2170	1970		1350	1870 975	740	1.0	3.1	13.0
5632 5032	32 Remington Express		S.P.C.L.	2220	1890 1920	1610	1400		1390	1000	750	1.0	4.8	12.5
5132	32 Winchester Special Express	170	S.P.C.L.	2280	1920	1630	1410	1960	1390	1000	750	1.0	4.8	12.5
4732	32-20 Winchester Hi-Speed		Mush. Lead	1290	1430	1090 940	950 840		365 250	210 195	160	3.3	8.5 15.5	24.5 38.0
4232 4632	32-20 Winchester		S.P.	1290	1060	940	840	370	250	195	155	3.3	15.5	38.0
5832	32-40 Winchester	165	S.P.	1440	1250	1100	1030		570 1850	1150	390 670	0.6	3.2	9.0
6634	348 Winchester Hi-Speed		S.P.C.L.	2890 2530	2360	1860 1820	1570	O HANDOWSKI CO.	2030	1470	1090	0.8	3.8	10.0
8035		150	Ptd.S.P.C.L	. 2400	1960	1580	1280	1920	1280	835	545	0.9	4.6	13.0
8235	35 Remington Express	200	M.C.L.	2210	1830 1830	1540 1540	1310		1490	1050	760	13	5.2 5.2	14.0
8335 7435	35 Remington Express		S.P.C.L. S.P.	1850	1560	1310	1140	1370	975	. 685	520	1.5	7.8	21.5
7335	351 Winchester Self-Loading	177	M.C.	1850	1560	1310	1140		975 455	685 370	520 290	3.2	7.8 15.0	21.5 36.5
8138 8438	38-40 Winchester		S.P.	1330	1070	960 1050	1000		760	625	565	2.9	13.0	32.0
5744	44-40 Winchester	10000	S.P.	1310	1050	940	830	760	490	390	305	3.3	15.0	36.5
8245	45-70 Government	405	S.P. S.P.	1320	1160 2170	1050	1680	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1210	990 1400	1100	0.8	13.0	32.5 9.5
8707 8908	7 mm. Mauser Express		S.P.C.L.	2570	2140	1790	1520	2490	1730	1210	870	0.8	3.9	10.5
8808	8 mm. Lebel Hi-Speed		S.P.	2640	2260	1960	1700	2630	1930	1450	1090	0.7	3.4	8.9
				1	_		-	. 4 6	Matel C			CANCEL TO SERVICE		

AMERICA'S MOST POPULAR TRAP and SKEET EQUIPMENT

TRAP & SKEET **EQUIPMENT**




Ideal for Any Trap

NEW DESIGN! The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!

NEW REMINGTON AUTOLOADING TRAP

Labor-saving (no trap boy needed) • Large capacity (203 targets) • Easy loading, stack at a time . No tools required . Connects to 110 volt wiring system Makes commercial gun clubs profitable!




MODEL 100T FOR TRAP

1 Remington autoloading trap with 1/2 HP motor, 60 cycle, 115 volts, and special auto-angling base. I push button release unit with 100 feet of wire. 1 power control box.



2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 70 feet of wire. 2 power control boxes. 1 connection



REMINGTON "EXPERT" TRAP

REMINGTON

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

REMINGTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.




REMINGTON "WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Reminaton Electric release.





REMINGTON AUTO-ANGLING TRAP



The Remington Model 41 Auto-Angling trap for straight trapshooting gives 72 angles of perfect target flight - all different, all automatic. Fast cocking, loading, releasing. Simple, dependable design. Easily adjustable for manual angling or doubles.

Speedmaster, Targetmaster, Matchmaster, Sportmaster, Scoremaster, Rangemaster, Fieldmaster, Wingmaster, Gamemaster, Woodsmaster, Sportsman, Express, Shur Shot, Power-Matic, Rocket, Core-Lokt, Blue Rock, Expert, Wonder and Kleanbore are Reg. U. S. Pat. Off, by Remington Arms Company, Inc., Bridgeport 2, Conn.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.



MANUAL RELEASE FOR "WONDER" OR "BLUE ROCK" OUTFITS

Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to electric



*All prices in catalog are subject to change without notice.

Remington, UPOND REGUSERATOR

